



CONTACT US:

- +91-8595852422 +91-9818449285
- ammultisolutions@gmail.com
- 105/66b industrial area N.I.T Faridabad 121001

PRODUCT CATALOGUE











BONDING



SAFETY









Page 24 Page 1

Why Choose **AM Multisolutions**

Packaging Excellence

Ensure your products are secure and well-presented with our advanced packaging solutions. From custom-designed materials to innovative automation in strapping, tapping, and wrapping, we keep your goods safe from warehouse to customer.

Reliable Bonding Solutions

Our adhesives set the benchmark for strength and durability. Whether you need epoxies, hot-melt, or structural adhesives, our products guarantee robust bonding for various materials, optimizing your production processes with exceptional performance.

Safety First

We prioritize safety with a wide range of products, from personal protective equipment to industry-specific safety devices. Our solutions ensure your operations meet the highest standards of safety and compliance, creating a secure working environment.

Our Mission:

At AM Multisolutions, our mission is to deliver superior packaging, bonding, and safety solutions, ensuring product security and presentation with innovative materials and advanced automation. We are committed to exceptional service and support, driving our clients' success.

Our Vision:

Our vision is to be a leading organisation in packaging, bonding, and safety, known for quality, reliability, and innovation. We strive to protect and present products impeccably, ensure safety and compliance, and empower businesses to achieve their highest potential.



IDEX OF CONTENTS

| PROTECTIVE CONSUMABLES | - PAGE 4 & 5 |
|---------------------------------|----------------|
| STRAPPING MACHINES | - PAGE 6 |
| STRETCH WRAAPPING MACHINES | - PAGE 7 |
| STRAPPING TOOLS | - PAGE 8 |
| STRETCH WRAPPING MACHINES | - PAGE 9 |
| LIFTING LASHING & LOAD SECURING | - PAGE 10 |
| RETURNABLE TRANSIT PACKAGING | - PAGE 11 |
| CORROSION PREVENTION | - PAGE 12 |
| ADHESIVE TAPES | - PAGE 13 |
| NAILING/STAPLING SOLUTIONS - I | PAGE 14 & 15 |
| HAND & ARM PROTECTION - PAGE | GE 16, 17 & 18 |
| BODY PROTECTION | - PAGE 19 |
| EYE & EAR PROTECTION | - PAGE 20 |
| FALL PROTECTION | - PAGE 21 |
| FOOT PROTECTION | - PAGE 22 |
| | |

HEAD & RESPIRATORY PROTECTION

- PAGE 23

Page 2 Page 3

PROTECTIVE CONSUMABLES



PACKAGING

PROTECTIVE CONSUMABLES





AIR BUBBLE ROLLS



AIR BUBBLE BAGS
AND POUCHES




FOAM PACKAGING



STRETCH FILM



STEEL STRAP



KEY FEATURES:

- · Greater break strength per pound
- Robust design ideal for bundling and palletizing
- Ensures stability in manufacturing, logistics, and construction applications
- Guarantees secure shipments meeting high reliability and safety standards



CORRUGATED ROLLS




PAPER EDGE PROTECTOR



STRAPPING EDGE



PLASTIC NET/ SLEEVES



PET STRAP

| Code | Size x Thickness (mm) | Break Strength |
|------|-----------------------|----------------|
| 1160 | 11.00 x 0.60 | 2600 N |
| 1260 | 12.00 x 0.60 | 2900 N |
| 1570 | 15.00 x 0.70 | 4500 N |
| 1580 | 15.00 x 0.80 | 5000 N |
| 1980 | 19.00 x 0.80 | 6600 N |

Specification

| Elongation | 9-12% |
|-----------------|--------|
| Elastic Returns | 7% |
| Strap Color | Green* |

| Surface Finish | Embossed / Plain |
|----------------|----------------------|
| Core Size | 203 mm / 406 mm |
| Variation | 0 to -7.5% in length |
| | |

*other colors availabe

Customized printing & sizes available



PAPER CORNER BOARD



HDPE PP TARPAULIN ROLLS



POLYBAGS



PLASTIC SHEETING



PP STRAP

Polypropylene strap is produce from 100 % vargin PP granules for smooth & trouble free running on fully automatic machines

| Code | Size x Thickness (mm) | Break Strength |
|------|-----------------------|----------------|
| 960 | 09.00 x 0.60 | 80 KG |
| 1260 | 12.00 x 0.60 | 110 KG |
| 1560 | 15.00 x 0.60 | 130 KG |

Specification

| Elongation | Upto 25% | Surface Finish | Embossed |
|-----------------|----------|----------------|----------------------|
| Elastic Returns | - | Core Size | 203 mm ID/ 188 L mm |
| Strap Color | White* | Variation | 0 to -7.5% in length |

*other colors availabe

Customized printing & sizes available

Page 4 Page 5

STRAPPING MACHINES



PACKAGING

STRETCH WRAAPPING MACHINES





SEMI AUTOMATIC STRAPPING **MACHINES**

| Power 1 Phase, 110/220V, 50/60Hz Strap Width 9, 12, 15 mm (Adjustable) Strapping Tension 15 -50 kgs (Variable) Strapping Speed 2.0 sec. /Strap Box Size Min. 60 mm, Max - Any Size Top Thickness 2 mm Thickness (Stainless Steel) Box Weight capacity Max 60 kg 97 kg net Machine Weight L 910 X W 580 X H 750 mm | | |
|---|-------------------|----------------------------------|
| Strapping Tension 15 -50 kgs (Variable) Strapping Speed 2.0 sec. /Strap Box Size Min. 60 mm, Max – Any Size Top Thickness 2 mm Thickness (Stainless Steel) Box Weight capacity Max 60 kg Machine Size 97 kg net | Power | 1 Phase, 110/220V, 50/60Hz |
| Strapping Speed 2.0 sec. /Strap Box Size Min. 60 mm, Max – Any Size Top Thickness 2 mm Thickness (Stainless Steel) Box Weight capacity Max 60 kg Machine Size 97 kg net | Strap Width | 9, 12, 15 mm (Adjustable) |
| Box Size Min. 60 mm, Max – Any Size Top Thickness 2 mm Thickness (Stainless Steel) Box Weight capacity Max 60 kg Machine Size 97 kg net | Strapping Tension | 15 -50 kgs (Variable) |
| Top Thickness 2 mm Thickness (Stainless Steel) Box Weight capacity Machine Size Max 60 kg 97 kg net | Strapping Speed | 2.0 sec. /Strap |
| Box Weight capacity Max 60 kg Machine Size 97 kg net | Box Size | Min. 60 mm, Max – Any Size |
| Machine Size 97 kg net | Top Thickness | 2 mm Thickness (Stainless Steel) |
| Machine weight L 910 X W 580 X H 750 mm | 3 1 7 | 3 |
| | Machine weight | L 910 X W 580 X H 750 mm |





CASE ERECTOR

| Power supply | 220v 50HZ | |
|--|--|--|
| Air pressure | 6kg/cm2 | |
| Tape width | 48-60 mm | |
| Working speed | 0-12 cases/min | |
| Case size | L 330-530 W 165-310 (Base carton size must be suitable as below: 650>w/2+H>280 L change scope 150 mm) | |
| Machine weight 400 kg | | |
| Environment conditions Temperature - 0-40 degree, Humidity <98% | | |
| Box Quality | Minimum 5 ply | |
| | | |



CARTON SEALING MACHINE

| Power supply | 1P 110V/220V 50Hz/60Hz 400W, Ac Motor |
|------------------------|--|
| Machine dimensions | L 1154 mm x W 1000 mm x H (table height + 840 mm) |
| Machine Weight | 240 kg |
| Table Height | 530mm~750mm (adjustable) |
| Convey speed | 19M/min |
| Carton Dimensions | L(150-∞ mm) W(120-480 mm) H (120-450 mm) |
| Adhesive tape spec | 48~72mm |
| Adhesive tape material | Kraft paper,or,BOPP |
| Air Pressure | 5 kgf/cm2 |
| Features | Automatic adjustment for different carton width & height |
| | Applicable for variable production |
| | |



BATTERY POWER TOOLS

| Strap Width | 12-19 mm |
|-------------------|----------------------------------|
| Thickness | 0.65-1.2 |
| Strap Application | PP/PET |
| Motor | Brushless 24vdc Motor Technology |
| Tension range | 2500N(250 kg) |
| Battery | Bosch 18v |
| Tool weight | 3.4 kg |



PNEUMATIC STRAPPING TOOLLS PP PET

| Strap Width | 12-19 /25 mm |
|-------------------|--|
| Thickness | 0.65-1.27 |
| Tension range | 2500N (250 kg) |
| Air Pressure | 0.5-0.7 MPA |
| Strap Application | PP/PET strap |
| Machine Weight | 3.5 kg |
| | Push cutting technology Tension, cutting and sealing all in one |



PNEUMATIC STEEL STRAPPING TOOLS

| Suitable Strapping Straps | Steel |
|---------------------------|--------------|
| Strap Width | 19~32 mm |
| Strap Thickness | upto 1.27 mm |
| Air Pressure | 0.4~0.6mpa |
| Tension | 9.8kn/0.6mpa |
| Weight | 7kg |

Page 7 Page 6

PACKAGING STRAPPING TOOLS



PACKAGING

STRETCH WRAPPING MACHINES





MANUAL STRAPPING TOOLS

Tensioner P330

| Lightweight & Economical Tensioner | |
|------------------------------------|--|
| for 12-19mm PET & PP Strapping | |
| P330 Tensioner Make | |
| P330 China Make | |



MANUAL STEEL STRAPPING TOOLS

SI 200 - Taiwan Make | A 333 - China Make

| Seal-less Steel Strapping Combination Tool | | |
|--|--------------------------------|--|
| Strap Gauge Range | 0.38~0.70 mm | |
| Strap Width Range | 12, 16 & 19 mm All-in-one Tool | |



Strapping Dispenser

| Item No | CA 100 HS |
|-------------|-----------------------|
| Туре | PET, PP, Steel, strap |
| Strap Width | upto 32 mm |
| Core Size | 200 and 406 mm |
| Wheel Type | 6" Steel |
| | |



PALLET STRETCH WRAPPING MACHINE

| Power supply | 1p, Ac220v, 50hz,1kw |
|----------------------|-----------------------------------|
| Rotation speed | 0-11 r/min (Option) |
| Film-stretching unit | Mechanical stretch (Optional) |
| | Power pre stretch (Optional) |
| Turntable capacity | 2 ton |
| Turntable diameter | 1500 mm (Customisation available) |
| Wrapping height | 2100 mm (Customisation available) |
| Tower height | 2400 mm |
| Machine weight | 650 kg |
| | |



BOX STRETCH WRAPPING MACHINE

| 1P 220V 50Hz |
|---------------------------|
| 1250 mm |
| 400 mm |
| 0-20r/min |
| 0.4 - 0.6 MPa |
| 80 Kgs |
| L 1150 X W 400 X 1400 mm |
| 110 Kgs |
| Stretch ability upto 300% |
| Pre stretch carriage |
| |



Stretch Film Dispenser

| Film Width | 12" To 20" |
|---------------|------------|
| Handle | Foam |
| For Core Size | 2" & 3" |

Page 8 Page 9

LIFTING LASHING & LOAD SECURING



PACKAGING RETURNABLE TRANSIT PACKAGING





POLYESTER WOOVEN LASHING



RATCHET LASHING SYSTEM



POLYESTER WEBBING SLINGS



POLYESTER COMPOSITE STRAP



PP COORRUGATED BINS, CRATES & SEPARATORS



PLASTIC TOTES CRATES AND TRAYS



BULK COLLAPSIBLE CONTAINERS



DUNNAGE AIR BAGS



Wire Buckles



Frame / H Buckles



Sheet Metal Buckles



METAL PALLETS
CARTS AND
RACKS



PLASTIC PALLETS



FIBC AND JUMBO BAGS



Cam Buckle



D Shackles



J Hook



Ratchet & Accessories



PLASTIC AND CORRUGATED SLIP SHEETS

Page 10 Page 11

CORROSION PREVENTION



BONDING ADHESIVE TAPES






DESSICANTS/ SILICA GEL



TEMP AND HUMIDIITY INDIACTORS



ALUMINIUM VACCUM BARIER FILM



VCI POLYFILM



VCI PAPER



VCI STRENGTH FABRIC



VCI STRETCH FILM



VCI EMITTERS



EVA/PE/XLPE FOAM TAPE



BOPP TAPES

BROWN KRAFT
PAPER TAPES



CROSS FILAMENT TAPES



DUCT TAPES



PAINT MASKING TAPES



ACRYLIC FOAM TAPES



D/S TISSUE TAPPE



D/S CLOTH TAPE



D/S POLYESTER TAPE



REFLECTIVE TAPE

Page 12 Page 13

BONDING

NAILING/STAPLING SOLUTIONS



BONDING NAILING/STAPLING SOLUTIONS





PNEUMATIC CARTON **STAPLERS**



MANUAL CARTON **STAPLERS**



PNEUMATIC COIL **NAILERS**



PNEUMATIC BRAD **NAILERS**



PNEUMATIC PLIERS




PNEUMATIC PINNERS





COIL NAILS



BRAD NAILS




CONCRETE NAILS



CONCRETE **NAILER**



PNEUMATIC HOG **RINGERS**



HEADLESS PINS STAPLE PINS



PLASTIC FASTENERS



HAMMER TACKERS



STAPLE REMOVERS



CRINGS

Page 14 Page 15

SAFETY HAND & ARM PROTECTION



SAFETY HAND & ARM PROTECTION





Seamless Knitted Gloves SGC 101



Heat Resistant Gloves HRG 401



Cut Resistant Gloves SPL/L/1



Disposable Gloves LTX 502



Leather Gloves LG 601



Cut & Sewn Gloves AST 302



Rubber Gloves GT-R-01



Coated Gloves Latex LT/700 GB-P-FT

Page 16 Page 17

SAFETY

HAND & ARM PROTECTION



SAFETYBODY PROTECTION





Coated Gloves Latex LT700GB-HD



Coated Gloves -Nitrile NTR/701 HHCB



Coated Gloves - PU/700 WW



Impact Resistant Gloves NTR/702-P-TPR



Aprons - APR 1301



Aprons - APR 1303P



Reflective Vests SCB 02



Reflective Vests SRV 02



Arm Sleeve ASL 1303B



Arm Sleeve ASL 1304



Arm Sleeve ASL 1305



Reflective Vests SRJ 02



Heat Resistant & Leather Garment ALU 702



Heat Resistant & Leather Garment LG 616 & LG 617



Cotton & Fire Retardant Lab Coat FR 905



Arm Sleeve ASL 1306



Arm Sleeve ASL 1307



Arm Sleeve ASL 1308



Cotton & Fire Retardant Lab Coat CT 805



Anti-Static Garment - AST 1101



Anti-Static Garment - AST 1102

Page 18 Page 19

SAFETY

EYE & EAR PROTECTION



SAFETY FALL PROTECTION





Safety Goggles ASP-101



Safety Goggles ASP-102



Safety Goggles ASP-103



Safety Goggles ASP-104



Body Harness SFH-01



Body Harness SFH-103



Body Harness SFH-105



Body Harness SFH-107



Safety Goggles ASP-105



Safety Goggles ASP-106



Safety Goggles & Shields ASP-107



Safety Goggles & Shields PFS-96C



Rope Grab & Fall Arrester SF-RGFA-B20



Rope Grab & Fall Arrester SF-RGFA-B20S



Rope Grab & Fall Arrester SF-RGFA-B20E



Retractable Fall Arrester SRFA-060W



Ear Plugs & Muffs SEP 103RC



Ear Plugs & Muffs SEM 100B



Retractable Fall Arrester SRFA-10



Retractable Fall Arrester SRFA-15

Page 20 Page 21

SAFETY FOOT PROTECTION



SAFETY HEAD & RESPIRATORY PROTECTION





Safety Shoes PIKE



Safety Shoes SLING



Safety Shoes CONQUER



Safety Shoes TUFF



Safety Helmet 7000V SERIES



Safety Helmet 7000R SERIES



Safety Helmet ECOSAFE



LOADER



Safety Shoes & Boot STONE



Safety Shoes & Boot AST-1105



Safety Shoes & Boot GUM BOOT



Safety Leg & Toe Guard STP-01



Safety Cap & Hood SBC 01



Safety Hood ALU 709



Safety Cap & Hood AST 1104



Safety Cap & Hood DC 01



Safety Leg & Toe Guard LG-614



Safety Leg & Toe Guard ALU-706



Safety Shoes Covers SC-01



Safety Shoes Covers SC-02



Safety Cap & Hood DC 02



Nose Masks M03



Nose Masks N95V



Nose Masks N95

Page 22 Page 23